Vocabulary

When writing, it is important to use a variety of expressions and different vocabulary items. The following phrases are in the simple present tense, but many of them can be changed to "may" or "can," depending on the information in the outline.

Causes	The cause of X is / X is caused by
	The causes of X include
	X results from / is a result of / arises from
	X is due to
	results in / leads to / brings about X.
	X occurs / develops when
Risk	increases a person's chance of developing X.
Factors	
	A person's chance of disease X is increased by / with
	contributes to the development X.
	is at greater risk of developing X.
	has a greater chance of developing disease X.
	is more susceptible to disease X.
	is a trigger of X. / X is triggered by
Symptoms	The symptoms of X are / include
	X is characterized by / with (symptoms that typically occur).
	is associated with X. / X is associated with
	occurs / develops in patients with X.
	The patient with X experiences / is experienced by patients with X.
	The patient with X suffers from (a symptom or condition that is unpleasant
	or severe).
	The patient with X exhibits / is exhibited by patients with X. (a symptom
	that can be seen, felt, or measured)

Symptoms	In patients with X, (a visible symptom) appears.
(cont.)	
	The patient with X has
	The patient with X feels / is felt by patients with X.
	The patient with X contracts / is contracted by patients with X. (an infection or contagious disease)
	X leads to / results in / brings about

Affects / Occurs in / Afflicts

A disease / condition affects or occurs in a person or a certain group of people. A disease / condition afflicts someone when it causes great mental, emotional, or physical suffering.

Practice: Which of the following can afflict people?

- a) cancer
- b) mild symptoms
- c) lung problems
- d) nightmares
- e) genetic tendency
- f) genetic disease
- g) hospital patients
- h) migraine headaches

Diagnosis	The diagnosis of X is based on / X is diagnosed based on
	X is diagnosed by / on the basis of
	The diagnosis of X is made by
	The diagnosis of X involves / includes
	The doctor orders / be ordered .
	are performed / used / carried out / completed / conducted.
	The doctor performs / uses / carries out / completes / conducts
	is necessary / required / needed for diagnosing X.
	The diagnosis of X requires
	diagnostic tests / options / methods / procedures / tools

Diagnosis	methods for diagnosing / methods of diagnosis
(cont.)	

Treatment	includes / consists of
	X is treated with / by
	is prescribed / given / administered / used.
	The doctor prescribes / gives / administers / uses
	The patient with X takes / is taken.
	is performed / used / carried out / completed conducted.
	The patient with X undergoes
	is recommended. / The doctor recommends
	The doctor advises the patient to / The patient with X is advised to
	The patient must / should
	treatment options / methods
	methods of treatment
All	Another (cause / risk factor / symptom / diagnostic test / treatment) is
Paragraphs	
	Other (causes / risk factors / symptoms / diagnostic tests / treatment methods)
	are
	the patient with X / patients with X
	the X patient / X patients
	a person with / people with
	the sufferer of / sufferers of
	a person diagnosed with / people diagnosed with