Active/Passive Practice: Procedure



The underlined verb is the correct form of the verb

The Facelift Procedure

The facelift procedure, or rhytidectomy <u>is carried out</u> to tighten the skin of the face and neck, giving the patient a more youthful and rested appearance. In an effort to rejuvenate the appearance of their face, more and more people <u>undergo</u> the procedure, placing it among the top five plastic surgeries performed in the U.S. Patients must, however, be aware that the texture of the skin on the face <u>is not modified</u> by the facelift procedure; that is, facial skin conditions such as fine lines, acne scars, and age spots <u>return</u> to their original texture and presentation regardless of how tightly the skin <u>is pulled</u>. Nevertheless, some patients (believe) <u>believe</u> they appear a decade younger than their actual age after the procedure. Facelift surgery <u>is performed</u> in three stages.

In the first stage, a number of steps <u>are taken</u> to prepare the patient for the procedure. These <u>include</u> taking the patient's medical history since certain conditions, such as hypertension or past clotting problems, <u>make</u> the surgery more risky. When the medical history <u>is taken</u>, the patient <u>is asked</u> to inform the doctor of any medications or supplements s/he is regularly <u>consumes</u>. Also during this preparatory visit, the doctor <u>gives</u> the patient a set of instructions to follow. Smokers <u>are required</u> to stop smoking four weeks in advance of the surgery, and aspirin <u>is avoided</u> a week prior to the surgery. Finally, the patient <u>arranges for</u> a companion who can <u>drive</u> him home after the surgery. Just prior to the surgery, the patient <u>is anesthetized</u>.

The second stage is the procedure itself, which usually Lasts around four hours. To begin with, incisions are made in areas such as the hairline and/or around the ears. The surgeon then repositions and tightens the underlying muscles and sagging tissue. Excess skin is removed to create a more youthful look. If there is a double chin, a small incision usually Lasts made under the chin, where it Lasts hidden by a natural crease, so that the fat may be removed by liposuction or by a restructuring technique. Once the incisions are stitched closed, dressings and a custom pressure wrap are applied Lasts hidden by a natural crease, so that the fat may be removed by liposuction or by a restructuring technique. Once the incisions are stitched closed, dressings and a custom pressure wrap are applied Lasts hidden to insure his/her well-being.

The third stage <u>involves</u> recovery. After the patient <u>rests</u> in the recovery room, he/she <u>is driven</u> home by his/her companion. Most patients <u>experience</u> some discomfort after the surgery, but medication <u>is prescribed</u> to help minimize it. Aside from taking pain medication, the patient <u>is advised</u> to keep his/her head elevated for a few days after the surgery to lessen any swelling. After a week <u>passes</u>, the doctor must <u>be visited</u> for a checkup.